



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁴ : A46B 9/04	A1	(11) International Publication Number: WO 87/07122 (43) International Publication Date: 3 December 1987 (03.12.87)
<p>(21) International Application Number: PCT/US86/01147</p> <p>(22) International Filing Date: 27 May 1986 (27.05.86)</p> <p>(71) Applicant: TEAM, INC. [US/US]; 111 Clark Street, Newton, MA 02160 (US).</p> <p>(72) Inventor: BORI, Jacques ; 10 William Street, #47, Wa- tertown, MA 02172 (US).</p> <p>(74) Agent: KASSMAN, Herbert, S.; International Law Collaborative, 6 Story Street, Cambridge, MA 02138 (US).</p> <p>(81) Designated States: AT (European patent), AU, BE (Eu- ropean patent), BR, CH (European patent), DE (Eu- ropean patent), DK, FR (European patent), GB (Eu- ropean patent), IT (European patent), JP, KR, LU (European patent), NL (European patent), SE (Euro- pean patent).</p>		<p>Published <i>With international search report.</i></p>
<p>(54) Title: FINGER-MOUNTED DEVICE FOR CLEANING TEETH</p> <div data-bbox="451 1171 1360 1738" data-label="Image"> </div> <p>(57) Abstract</p> <p>A finger-mounted device (10) for cleaning teeth having an improved teeth cleaning surface formed by soft bristles, pick means (27) formed by shorter hard bristles for cleaning between the teeth, and means for providing a length of dental floss (30). The improved teeth cleaning surface consists of a plurality of concave surfaces (23) joined along their raised edges (24), each of the concave surface being adapted to clean a complementary shaped convex tooth surface and the raised edges being adapted to clean the tooth edges. A length of dental floss (30) is attached at one end to the device (31) and stored around a spool (32) attached to the device, the opposite end of the floss (34) being attached to ring means (33) which is also mounted on the device but detachable therefrom for unwinding the floss from the spool and holding the floss taut between the ring and device in a teeth flossing position.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	ML	Mali
AU	Australia	GA	Gabon	MR	Mauritania
BB	Barbados	GB	United Kingdom	MW	Malawi
BE	Belgium	HU	Hungary	NL	Netherlands
BG	Bulgaria	IT	Italy	NO	Norway
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland				

FINGER-MOUNTED DEVICE FOR CLEANING TEETH

FIELD OF THE INVENTION

5 This invention relates to devices for cleaning teeth,
and more particularly to such devices which are mounted on
a finger.

BACKGROUND OF THE INVENTION

10 The toothbrush in common use, consisting of a rigid
handle provided with bristles at one end, has a number of
recognized disadvantages including an inability to effectively
clean the surfaces of all teeth, particularly those at the rear
of the mouth, and a tendency to injure the gums by sharp
contacting of the gums by the rigid handle.

15 Many attempts have been made to design a brush
structure to be fixed or held upon the finger of the user.
Much greater control and flexibility can be achieved when
the brush is manipulated by a finger. However, the known
finger brushes have a number of disadvantages. Many prior
art finger brushes have a closed end finger sheath which
20 does not adapt well to different finger and fingernail
lengths. See e.g., U.S. Design Patent No. 97,360 (Stevens).

25 Another disadvantage of many finger brushes is an in-
ability to retain the brush in proper alignment on the fin-
ger during brushing. Prior attempts to overcome this prob-
lem include providing: an adhesive strip with overlapping

ends, U.S. Patent Nos. 2,921,590 (Holton) and 2,915,767 (Vaughan); a slit through which the fingertip is inserted, U.S. Patent No. 2,439,056 (Rathbun); a frustro-conical finger holder which may be slit and formed of a resilient material, U.S. Patent No. 2,396,548 (Allen); a ribbed expand-
5 able loop together with a fingernail cavity, U.S. Patent No. 3,105,260 (Smith et al.); and an elastomeric tubular member of uniform inner dimension which is deformable to snugly engage the finger, U.S. Patent No. 4,251,987 (Alam). Many
10 of these devices are undesirable because of their cost and/or they still do not adequately prevent slippage.

Another disadvantage of prior art toothbrushes is that they do not provide an efficient surface for brushing the surfaces of each tooth. Most brushes provide a flat brushing
15 surface which does not effectively contact the contours of the tooth surface. One prior art device, U.S. Design Patent No. 97,360 (Stevens), provides an elongated concave brush surface, but this surface would be effective only if aligned vertically with each tooth being brushed. Such positioning is awkward
20 at best, and impossible for teeth in the back of the mouth.

It has also been suggested to shape the brushes of a standard toothbrush to a point to provide a pick for cleaning between the teeth, U.S. Patent No. 2,155,245 (Sekine). How-
25 ever, this pick has the previously-mentioned disadvantages of brushes on elongated handles and further, no surface is provided for efficiently brushing the surfaces of each tooth.

It has also been suggested to provide a rubber tip on the end of a tongue toothbrush for massaging the gums, and a slit storage compartment and mounting projection for a length
30 of dental floss, U.S. Patent No. 4,292,705 (Stouffer).

SUMMARY OF THE INVENTION

It is an object of this invention to provide a finger-mounted device for cleaning teeth having a teeth cleaning surface shaped to complement the contours of a tooth for efficient cleaning of the surfaces of the tooth.

A further object is to provide a finger-mounted device for cleaning the teeth which is held securely on the finger and which is economical to manufacture.

Another object is to provide a finger-mounted device having both a soft bristle surface for cleaning the surfaces of the teeth and a hard bristle portion forming a point for use as a pick for cleaning between the teeth.

Still another object is to provide a finger-held device for cleaning teeth including a length of dental floss secured at one end to the device.

According to the invention, there is provided a finger-mounted device for cleaning teeth having a holder means for engaging a finger and teeth cleaning means mounted on the holder means. The teeth cleaning means has an improved cleaning surface comprising a plurality of concave surfaces, joined along raised edges, each of the concave surfaces being adapted to clean a complementary shaped convex tooth surface and the raised edges being adapted to clean the tooth edges. Preferably, the teeth cleaning means is a brush.

In another aspect of the invention a finger-mounted teeth cleaning device is provided consisting of holder means for engaging a finger, brush means comprising an area of soft bristles extending from the holder means, the distal ends of the soft bristles defining the teeth cleaning surface for brushing the surfaces of a tooth by the application of a first force, and pick means comprising a section of hard bristles disposed within the soft bristle area, the distal ends

of the hard bristles being tapered to form a point lying below the teeth cleaning surface to form a pick for cleaning between the teeth when a second pressure greater than the first pressure is applied. Preferably the teeth cleaning surface comprises a plurality of concave surfaces (four such surfaces being most preferable) joined by raised edges and the pick means is disposed beneath one of the raised edges.

In another aspect, the invention comprises a nonslip finger mounted device for cleaning teeth consisting of a tubular holder having a first edge defining a first open end through which a finger is inserted into the holder and a second edge defining a second open end through which the fingernail extends, the second edge having an arcuate portion defining a concave fingertip surface on the interior of the holder adapted to engage the palm side of the fingertip for retaining the holder on the finger, and teeth cleaning means on the palm side of the holder. Preferably the tubular holder is made of a resilient material such as silicone rubber.

In another aspect, there is provided a teeth cleaning device, including a length of dental floss attached at one end to the device and stored around a spool attached to the device, the opposite end of the floss being attached to ring means which is also mounted on the device but is detachable therefrom for unwinding the floss from the spool and holding the floss taut between the ring means and device in a teeth flossing position.

BRIEF DESCRIPTION OF THE DRAWING

The above and other features, objects and advantages of the present invention will be better understood from a reading of the detailed description of the preferred embodiment in conjunction with the following drawings in which:

5

Figure 1 is a perspective view of the device of a preferred embodiment of the teeth cleaning device of this invention; and

5 Figure 2 is a perspective view of the device of Figure 1 wherein the ring means is detached from the device and the floss is extended taut between the device and ring means in a teeth flossing position.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

10 Figure 1 shows a preferred embodiment of the teeth cleaning device 10 of this invention. Device 10 includes a holder means 11 for engaging a finger and teeth cleaning means 12 mounted on the holder.

15 According to one aspect of the invention an improved nonslip holder means 11 is provided. The holder means consists of a tubular member or band 11 which is open at both ends and having a bore 19 adapted to engage a finger. 2. In the preferred embodiment shown bore 19 engages the finger distal of the first finger joint 5. Tubular member 11 has a first edge 13 defining a first open end 14 through which finger 2 is inserted. A second edge 15 defines a second end 16 through which fingernail 4 extends. Second edge 15 includes an arcuate portion 17 extending around the palm side of fingertip 3 to define a longitudinally and transversely extending concave fingertip surface or seat 18 on the interior or tubular member 11 located between the first and second edges 13, 15. Concave surface 18 is adapted to engage the palm side of the fingertip for securing device 10 to the finger. The palm side of the fingertip lies on the palm side of the hand, as opposed to the fingernail which lies on the back side of the hand. Preferably, tubular member 11 is bias cut to further improve the adherence of holder means 11 to finger 2, and a padded area 38 is provided above concave surface 18 to distribute the forces transmitted between teeth cleaning means 12 and fingertip 3.

20

25

30

Tubular member 11 may be made of any nontoxic material which retains its strength when wet such as plastic, fabric, or waterproof paper. Preferably tubular member 11 is made flexible and resilient, consisting of a thin band of a material selected from the group consisting of silicone rubber, natural or synthetic rubber, vinyl resins, polyethylene, and the like. Especially preferred are elastomeric materials such as silicone rubber. The tubular member 11 is preferably of from about one to about two mm (millimeters) in thickness.

The teeth cleaning means 12 is mounted on the palm side of the tubular member 11. Preferably, a pad 20 which is thicker and less flexible than tubular member 11 is provided for mounting the teeth cleaning means 12 and distributing the forces transmitted through means 12. Pad 20 may be integral with or attached to tubular member 11. Preferably, pad 20 is from about two to about three mm in thickness. Pad 20 may be made of any soft material which is nontoxic and preferably is made of the same material as tubular member 11. Padded area 38 may be part of pad 20.

The improved teeth cleaning means 12 of this invention defines a teeth cleaning surface 22 having a plurality of concave surfaces or sectors 23 joined along raised edges 24. The concave surfaces 23 are shaped to complement the convex surfaces of a tooth, the raised edges 24 facilitating cleaning along the edges of the tooth. During brushing a circular motion should be used and a sector 23 positioned over a tooth. The concave shape of sectors 23 permits effective cleaning of rear teeth surfaces while holding the finger substantially horizontal (perpendicular to the tooth axis). By providing a plurality of sectors more than one sector may be positioned over a respective tooth to allow simultaneous brushing of a plurality of teeth. Further, proper alignment of a sector over a tooth

is more readily achieved.

Preferably teeth cleaning means 12 comprises a brush. Brush 12 preferably defines four concave surfaces 23 joined along four raised edges 24 and meeting in the center at a raised point 25. The bristles of brush 12 can be made of any known toothbrush bristle material such as nylon.

In another aspect of the invention teeth cleaning means 12 includes an area of soft bristles 26 defining a toothcleaning surface and a pick means 27 consisting of a section of hard bristles disposed within the soft bristle area 26, the distal ends of the hard bristles being tapered in a direction away from the holder means 11 to form a point 37 which lies below the teeth cleaning surface. Preferably the teeth cleaning surface consists of a plurality of concave surfaces 23 joined along raised edges 24 and hard bristle section 27 is disposed beneath one of raised edges 24 and more preferably adjacent an edge of brush area 26 near fingertip 3. By providing point 37 within and just below the teeth cleaning surface of soft bristles 26, both pick means for cleaning between teeth and brush means for cleaning the surfaces of teeth may be provided on a single device 10 in such a manner that neither interferes with the action of the other. Thus, by applying a light pressure to pad 20, the soft bristles 26 will effectively engage the teeth surfaces for effective surface cleaning while the application of a slightly greater force will push aside the soft bristles 26 so that hard bristles 27 may be used as a pick between the teeth. Point 37 is preferably disposed from about four to about five mm below surface 24.

According to another aspect of this invention, device 10 includes a length of dental floss 30 having a first end 31 attached to device 10. Floss 30 is wrapped around a spool means 32 attached to a second end 34 of floss 30, ring means 33 being mounted on device 10 when storing floss 30 and being

detachable from device 10 for unwinding floss 30 and extending the floss taut between ring means 33 and device 10 in a teeth flossing position as shown in Figure 2. Preferably ring means 33 includes a tab 35 to facilitate gripping the ring while removing it from the device. Ring means 33 is preferably mounted over spool means 32 and may be temporarily retained on device 10 by means of breakable strips 36. For example, a two foot length of floss is adequate for flossing and may be wound around spool 32 without adding unnecessarily to the bulk of device 10.

Having described the invention in detail, those skilled in the art will appreciate that numerous modifications may be made thereof without departing from the spirit of the invention. Therefore, it is not intended that the scope of the invention be limited to the specific embodiment as illustrated and described herein. Rather, it is intended that the scope of the invention be determined by the appended claims and their equivalents.

CLAIMS

1. An improved finger-mounted device for cleaning teeth of the type having holder means for engaging a single finger and teeth cleaning means mounted on said holder means, wherein the improvement comprises:

5 said holder means being tubular and capable of enclosing a single finger, and

 said teeth cleaning means having a cleaning surface comprising a plurality of concave surfaces joined along raised inner edges and bounded by raised outer edges, each of said concave surfaces being adapted to clean a complementary shaped convex tooth surface and at least pairs of said
10 raised outer edges meeting at raised points located at spaced intervals along the perimeter of said cleaning surfaces being adapted to clean the tooth edges.

2. The device of claim 1 wherein said teeth cleaning
15 means comprises a brush.

3. The device of claim 2 wherein said cleaning surface comprises four concave surfaces joined along four raised inner edges which meet in the center at a raised point and bounded by four raised outer edges.

20 4. A finger-mounted device for cleaning teeth comprising:

 holder means for engaging a finger;

 brush means comprising a single area of soft bristles of substantially uniform bristle density extending from said
25 holder means, the distal ends of said soft bristles defining a teeth cleaning surface for brushing the surfaces of a tooth by the application of a first force;

 pick means comprising a single cluster of hard bristles disposed entirely within said soft bristle area, the distal
30 ends of said hard bristles being tapered to form a point, the tapering of said hard bristles extending in a direction away from the holder, and said point lying below said teeth

cleaning surface to form a pick for cleaning between teeth when a second pressure greater than said first pressure is applied.

5 5. The device of claim 4 wherein said teeth cleaning surface includes a plurality of concave surfaces joined by raised edges and said pick means is disposed beneath one of said raised edges.

10 6. The device of claim 5 wherein said pick means comprises a single cluster of bristles disposed adjacent the edge of said soft bristle area.

7. A nonslip finger-mounted device for cleaning teeth comprising:

15 a tubular holder having a first edge defining a first open end through which a finger is inserted into said holder and a second edge defining a second open end through which the fingernail extends, said second edge having an arcuate portion, the interior surface of the holder located between said first edge and said second edge defining a longitudinally and transversely extending concave surface adapted to engage
20 the palm side of the fingertip for retaining said holder on the finger; and

teeth cleaning means mounted on the palm side of said tubular holder.

25 8. The device of claim 7 wherein said tubular holder includes a padded area above said concave surface.

9. The device of claim 8 wherein said tubular holder and padded area are integral and are made of a resilient material.

30 10. The device of claim 9 wherein said resilient material is silicone rubber.

11. The device of claim 7 wherein at least one of said first and second edges is bias cut.

12. An improved finger-mounted device for cleaning teeth of the type having a holder means for engaging a

11

finger and a teeth cleaning means mounted on said holder means, wherein the improvement comprises:



a length of dental floss having a first end attached to said device;

5 spool means attached to said device around which said floss is wound for storage; and

ring means attached to a second end of said floss, said ring means being mounted on said device when storing said floss and being detachable from said device for unwinding said floss and extending said floss taut between
10 said ring means and said device in a teeth flossing position.

13. The device of claim 12 wherein said ring means is disposed over said spool means when mounted on said device and wherein said spool means includes a tab for removing
15 said ring means from said spool means.

1/1

**FIG. 1****FIG. 2**

INTERNATIONAL SEARCH REPORT

PCT/US86/01147

International Application No

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) ³		
According to International Patent Classification (IPC) or to both National Classification and IPC		
Int. CL (4): A46B 9/04		
U.S. Cl 15-167.R		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁴		
Classification System	Classification Symbols	
U.S.:	15-167.R, 160, 159.A, 227, 84.R, 84.A, 85 89, 90, 91, 92, 93 D4-103, 104, 129	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁵		
III. DOCUMENTS CONSIDERED TO BE RELEVANT ¹⁴		
Category *	Citation of Document, ¹⁶ with indication, where appropriate, of the relevant passages ¹⁷	Relevant to Claim No. ¹⁸
A	US, A 1,770,426, Published 15 July 1930 (Paris et al)	8, 9
A	US, A 2,186,005, Published 9 January 1940 (Casto)	4, 5, 6
A	US, A 2,396,548, Published 12 March 1946 (Allen)	7,8,9,10,11
A	US, A 2,978,724, Published 11 April 1961 (Gracian) See Figs. 7 and 8	1, 2, 3
A	US, A 4,292,705, Published 6 October 1981 (Stouffer)	12,13
A	US, A 4,338,957, Published 13 July 1982 (Meibauer)	12, 13
<p>* Special categories of cited documents: ¹⁵</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search ¹	Date of Mailing of this International Search Report ²	
12 June 1986	30 JUL 1986	
International Searching Authority ¹	Signature of Authorized Officer ¹⁰	
ISA/US	Peter Feldman <i>Pete Feldman</i>	